AD-778 731

FROZEN BLOOD SHIPPING

Dailey W. McPeak, et a!

Army Medical Research Laboratory

Prepared for:

Army Medical Research and Development Command

13 March 1974

DISTRIBUTED BY:




National Technical Information Service U. S. DEPARTMENT OF COMMERCE 5285 Port Royal Road, Springfield Va. 22151

DISPOSITION

Destroy this report when no longer needed.

Do not return it to the originator.

Citation of specific commercial equipment, materials, or trade names in this report does not constitute an official endorsement or approval of the use of such commercial products.



AD	

REPORT NO. 1,084

FROZEN BLOOD SHIPPING

(Prograss Report)

by

Dailey W. McPeak

and

COL Frank R. Camp, Jr., MSC

US ARMY MEDICAL RESEARCH LABORATORY Fort Knox, Kentucky 40121

13 March 1974

Military Blood Banking:
Preservation Methods--Liquid and Frozen--and Logistics
Work Unit No. 155
Combat Surgery
Task No. 00
Combat Surgery
DA Project No. 3A162110A821

Approved for public release; distribution unlimited.

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Date Bot-red)

REPORT DOCUMENTATION	READ INSTRUCTIONS BEFORE COMPLETING FORM		
I. REPORT NUMBER	2. JOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER	
1,084		41) 778731	
4. TITLE (and Subtitio)	5. TYPE OF REPORT & PERIOD COVERED		
FROZEN BLOOD SHIPPING		Progress	
		6. PERFORMING ORG, HEPORT NUMBER	
7. AUTHON(4)	8. CONTRACT OR GRANT NUMBER(*)		
Dailey W. McPeak and COL Frank R. C	amp, Jr., MSC		
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA S WORK UNIT HUMBERS		
SGRD-UK US Army Medical Research Laboratory	612710		
Fort Knox, Kentucky 40121	3A162110A821 00 155		
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE		
SGRD	13 March 1974		
US Army Medical Research and Development Command 13. NUMBER OF PAGES Washington, D. C. 20314			
14. MONITORING AGE ICY NAME & ADDRESS(II differen	from Controlling Cilico)	15. SECURITY CLASS, (of this report)	
		UNCLASSIFIED	
		15. DECLASSIFICATION/DOWNGRADING	
		SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report)			
Approved for public release; distribution unlimited.			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different from Report)			
18. SUPPLEMENTARY NOTES			
		j	
19. KEY WORDS (Continue on revotee aids if necessary and identify by block number)			
Frozen Blood; Transporting; Packaging; Logistics			
Reproduced by NATIONAL TECHNICAL			
INFORMATION SERVICE			
U.S. Department of Commerce Springfield VA 22151			
20. ABATRACT (Continue on reverse elde if necessary and identify by block number)			
The purpose of this report is to recommend shipping containers and packaging techniques designed to provide optimum protection for frozen blood during long distance shipping. Data presented prescribe packaging techniques that will afford ample protection from temperature fluctuation for frozen blood when properly packed in designated shipping containers. The recommendation relates to shipping containers presently available in the military supply system. Further			
•		(cont)	

DD 1 JAN 79 1473

٤Dı

20年代,1967年,

OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (Witer Date Butered)

Block Number 20 (cont)

studies are being made in designing and fabricating special transport boxes with the appropriate packing procedures that will enhance the position of blood banking logistics.

AG 970-0-Army-Knox-biey 14-375

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Date Entered)

USAMRL REPORT NO. 1,084 DA PROJECT NO. 3A162110A821

ABSTRACT

FROZEN BLOOD SHIPPING

OBJECTIVE

To recommend a shipping container with packaging techniques designed to provide optimum protection for frozen blood during long distance shipping.

RESULTS

Data presented prescribe packaging techniques that will afford ample protection from temperature fluctuation for frozen blood when properly packed in a designated shipping container.

CONCLUSION

The recommendation contained herein relates to a shipping container presently available in the military supply system. Shipping boxes designed specifically for frozen blood are under study.

FROZEN BLOOD SHIPPING

INTRODUCTION

Since the earliest recorded history man has displayed an unremitting interest regarding alteration of the normal process of aging. Until recently, little work had been directed toward preservation of living tissues at low temperatures in an attempt to retard aging. Work by Luyet and Gehenio (2) and Polge et al (4) marks the general beginning of modern studies along these lines. Observations by the latter regarding the effects of freezing on bull sperm led to a study investigating the possible preservation of blood at temperatures below freezing. A review of current literature will reveal a comprehensive treatise indicating the success, practicability, and clinical acceptance of blood which has been frozen. Preservation of human blood in the frozen state has now advanced from the experimental stage to clinical utilization. Both the Army and the Navy, including The Blood Bank Center at the US Army Medical Research Laboratory, Fort Knox, Kentucky, have established frozen blood banks. During the recent Southeast Asia conflict, the Navy created an experimental frozen blood bank at the Maval Station Hospital, Da Nang, South Vietnam.

One of the primary obstacles to frozen blood preservation has been hemolysis upon thawing due to osmotic stress on the red cell membrane. The formation of extracellular ice crystals causes dehydration of cells and increases solute concentration in the unfrozen liquid, rendering the cells less durable.

The basic technique, designed to circumvent these problems while preserving cell integrity during the freeze-thaw process, has been the addition of glycerol as an agent to mitigate cell destruction by reducing the mole fraction of water available for crystallization. The additive may be used either in high concentrations of 40 to 50% in conjunction with slow freezing, down to -80° C, or low concentration with rapid freezing using liquid nitrogen {1}.

A storage temperature of -80°C is adequate for periods in excess of ten years (3). On the basis of $in\ vitro$ assays, a temperature above -60°C is unsatisfactory for storage in excess of a few weeks. Fluctuations in storage temperature of 10°C above or below -80°C have no adverse effect.

The cost is higher when preserving red cells by the freezing method, but the attributes that make it superior are the concomitant prolonged storage characteristic, coupled with selected clinical situations that require rare blood types. Hence, along with the growing interest in freezing blood comes the need for special shipping containers and packaging techniques which will afford the added protection necessary for proper maintenance of the blood during long distance shipping. In view

of the fact that facilities for freezing blood will necessarily be more restrictive, the number of installations capable of supplying frozen blood will be few and long distance transporting will become commonplace. Iherefore, the purpose of this report is to establish guidelines leading toward the standard redization of containers and packaging techniques for frozen blood. Do a from studies conducted at room temperature are presented.

MATERIALS AND METHODS

Technical documentation for blood shipping container, Federal Stock Number (FSN) 8115-935-9761 (Fig. 1), is extended for use in transporting frozen blood. Seven Fenwal Cayocyte packs fabricated from heavy card-board measuring 9 x 14-1/2 inches were used as the envelopes for the Fenwal plastic bags which contained the simulated blood. Aluminum canisters of the approximate size which afford a more rapid heat transfer are also available. The paper carton selected for this test is much less expensive than the metal holder and, consequently, more practicable for



Fig. 1. Blood shipping container, FSN 8115-935-9761, manufactured by Life-Like Products, Inc., Baltimore, Maryland.

use as an expendable item--an important prerequisite for military shipping nurposes. Utilizing the geometry of the transport container, seven cartons of blood were considered to be the ideal load per hox. The cartons were placed diagonally into the shipping container with the narrow edges exposed to the outside of the box, thus allowing the larger surface area of the blood cartons contact with the dry ice refrigerant.

Approximately 16 hours prior to the test, the cartons were placed in a Harris low temperature, Model 19L-DR freezer, designed to maintain a temperature of -85°C. Transferring the blood from the freezer to the shipping container was considered to be the most critical step involved in the packaging technique. A concentrated effort was made to effect the transfer in the minimum amount of time, thus avoiding undue exposure to the higher ambient temperature. Thirty pounds of dry ice were packed in such a manner as to encase the blood cartons. Pellet dry ice was used because it affords greater cooling qualities than does the block type (Fig. 2). A Yellow Springs, Model 42SL Tele-thermometer was




Fig. 2. Pellet ice vs block ice--curve,

utilized for monitoring the temperature. The temperature sensor was enclosed in the bag containing the blood substitute (Fig. 3).



Fig. 3. Frozen blood carton and blood container.

RESULTS AND DISCUSSION

Five hours after the experiment was begun, the temperature remained below -80°C, which was beyond the range of the measuring instrument. The fact that the low temperature produced by the freezer was being maintained reflected most favorably on the packaging technique used.

Meryman and Hornblower (3) found from in vitro assays of cell potassium that temperatures above -50°C are unsatisfactory for storage in excess of a few weeks. In addition, other work indicates that fluctuations in storage temperature of -80°C \pm 10°C have no adverse effects (1).

The initial temperature measurement following the transfer and packing phase of the test was -70°C . The temperature was maintained below -60°C for approximately 31 hours (Fig. 4). Work by Vaieri et al (5) indicates that blood stored above -60°C is unsatisfactory if not used within a few weeks.




Fig. 4. Temperature curve of frozen blood.

SUPPMARY

Frozen blood, although a relatively new field in blood banking, is currently commanding much attention. A look into the history of blood banks repeatedly reveals developments in the processing laboratory and clinical research far exceeding those in the logistics branch. Presently, the lack of specific techniques describing proper packaging of frozen blood for long distance shipping is no exception to past history. Effective techniques, utilizing designated shipping containers, primarily designed for other purposes, are presented herein. Further studies are being made in designing and fabricating special transport boxes with the appropriate packing procedures that will enhance the position of blood banking logistics.

LITERATURE CITED

- The post-ti-viability of red cells of ACD and CPD blood preserved in the fro-state with and without added adenine. Transfusion, 12: 198-207, 1972.
- Luyet, B. J. and P. M. Gehenio. Life and death at low temperatures. Biodynamica, Normandy, Missouri, 1940.
- 3. Meryman, H. T. and M. Hornblower. A method for freezing and washing red blood cells using a high glycerol concentration. Transfusion, 12: 145-156, 1972.
- 4. Polge, C., A. U. Smith, and A. S. Parkes. Revival of spermatozoa after freezing. Nature, 161: 666, 1949.
- 5. Valeri, C. R., A. H. Runck, and L. E. McCallum. Observations on autologous, previously frozen, deglycerolized, agglomerated, resuspended red cells. 1. Effect of storage temperatures. 11. Effect of adenine supplementation of glycerolized red cells prior to freezing. Transfusion, 7: 105-116, 1967.